

PRODUCT DATA

RUST VETO TSF

CORROSION INHIBITING, BREAK-IN, TEST STAND AND STORAGE FLUID

Houghton International is well recognized for consistently bringing new technology to the industrial market. Two specific product areas where Houghton represents the standard of the industry are our hydraulic fluid and rust preventive product lines. **Rust Veto TSF** represents a marriage of our premium grade ISO 32 anti-wear straight oil hydraulic fluid fortified with our best corrosion inhibiting Rust Veto® additives.

Rust Veto TSF is recommended for use in the break-in and testing of all straight oil hydraulic equipment systems as well as for long-term storage of the same. It must be used as received with no dilution.

TYPICAL PHYSICAL PROPERTIES

Appearance	Clear amber, fluid
Viscosity @ 100°F	145 SUS
Specific Gravity @ 60/60°F (ASTM D-1298)	0.862
Flash Point (ASTM D-92)	385°F
Pounds per U.S. Gallon	7.21
Film Thickness	.46 mils
V.O.C.	.25 lbs./gal.



Houghton International Inc.

Madison and Van Buren Ave., P. O. Box 930, Valley Forge, PA 19482-0930

(610) 666-4000 Telefax (610) 666-1376

CORROSION PROTECTION

Copper Strip Tarnish Test (ASTM D-130)	1a
ASTM D-665-A Rust Test 72 hours	Pass, specimen clean & bright

SHIPPING INFORMATION

Rust Veto TSF is shipped in 55 (U.S.) gallon (208 Liter) drums and in bulk.

STORAGE/HANDLING/DISPOSABILITY

No health or safety hazards exist when **Rust Veto TSF** is stored, used and disposed of in accordance with instructions given on the Material Safety Data Sheet for this product.

WARRANTY

The information given here is considered to be correct and is offered for your consideration, investigation and verification. No warranties are expressed or implied since the use of our products is beyond our control. Statements concerning the use of Houghton products are not to be construed as recommending the infringement of any patent.

EXPORT STATEMENT

This commodity and its technology are subject to the export control laws and regulations of the United States Government. Buyer agrees that it shall not make any disposition, by way of export, diversion, transshipment, re-export or otherwise, except as expressly permitted under United States law.