

SECTION 1: PRODUCT AND COMPANY INFORMATION

Product Name: VP Tech P

Supplier: Walter USA
N22 W23855 RidgeView Parkway W.
Waukesha WI 53188

Telephone: (800) 945-5554
Fax: (262) 347-2500
Email: service.us@walter-tools.com

In case of Emergency: DOMESTIC NORTH AMERICA
800-424-9300
INTERNATIONAL
703-527-3887 (collect calls accepted)

Product Description Heavy-duty non-chlorinated general purpose fluid

SECTION 2: HAZARD IDENTIFICATION

GHS Classification



GHS08 Health hazard
Resp. Sens. 1 - H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Carc. 1B - H350 May cause cancer.
STOT SE 2 - H371 May cause damage to organs.



GHS07
Skin Irrit. 2 - H315 Causes skin irritation.
Skin Sens. 1 - H317 May cause an allergic skin reaction.
Eye Irrit. 2B - H320 Causes eye irritation.
Aquatic Acute 2 - H401 Toxic to aquatic life.
Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects

GHS Label

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS08

Signal word Danger

Hazard-determining components of labeling Distillates (petroleum), hydrotreated heavy naphthenic TOFA DIPA Amide
 2,2',2''-nitrioltriethanol
 Tolyltriazole sodium salt
 3-Iodo-2-propynylbutylcarbamate

Hazard Statement Causes skin and eye irritation.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause an allergic skin reaction.
 May cause cancer.
 May cause damage to organs.
 Toxic to aquatic life.
 Harmful to aquatic life with long lasting effects.

Precautionary statements


Prevention Do not breathe dust/fume/gas/mist/vapors/spray.
 [In case of inadequate ventilation] wear respiratory protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Specific treatment (see on this label).

Storage Store locked up

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification System

NFPA ratings (scale 0 - 4)  Health = 1
 Fire = 1
 Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health	*1
Fire	1
Reactivity	0

 Health = *1
 Fire = 1
 Reactivity = 0

Other hazards Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterization: Mixture

Description: Mixture of the substances listed below with nonhazardous additions.

Components/Ingredients	CAS No.	%
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	≤25%

TOFA DIPA Amide	38618-12-1	2.5-<10%
Boric Acid salt	26038-87-9	2.5-<10%
2,2',2''-nitrilotriethanol	102-71-6	2.5-<10%
2-methylpentane-2,4-diol	107-41-5	0.1-≤ 2.5%
2-cyclohexe-1-octanoic acid, 5-carboxy-4-hexyl	53980-88-4	0.1-≤ 2.5%
Tolyltriazole sodium salt	64665-57-3	0.1-<1%
3-Iodo-2-propynylbutylcarbamate	55406-53-6	0.1-<1%

SECTION 4: FIRST AID MEASURES

- Eye Contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- Skin Contact** Wash exposed area with soap and water for at least 15 minutes. Call a physician if rash or other symptoms develop. Launder clothes before reuse.
- Ingestion** Do not induce vomiting. Seek medical attention immediately.
- Inhalation** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Information for doctor:

Most important symptoms/effects, acute and delayed

No further relevant information available.

Description of necessary first aid measures / specific treatments

No further relevant information available.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable extinguishing agents Carbon Dioxide, Dry Chemical, Alcohol Foam or a light water spray

Special hazards arising from the substance or mixture No further relevant information available

Special Fire Fighting Instructions

Full protective clothing and approved self-contained breathing apparatus if necessary for fire fighting personnel.

Protective equipment

No special measures required

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Environmental precautions	Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
Methods and materials for containment and cleaning up	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

Handling

Precautions for safe handling	Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
Information about protection against explosions and fires	Keep respiratory protective device available.

Storage

Requirements to be met by storerooms and receptacles	Keep container closed when not in use. Store in a cool, dry, well ventilated place away from incompatible materials.
Information about storage in one common storage facility	Keep container tightly closed in a cool, well-ventilated place. Keep away from source of ignition.
Further information about storage conditions	Keep receptacle tightly sealed.
Specific end use(s)	No further relevant information available.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Additional information about design of technical systems - No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace

2,2',2''-nitrilotriethanol 102-71-6
 TLV Long-term value: 5 mg/m³

2-methylpentane-2,4-diol 107-41-5
 REL Ceiling limit value: 125 mg/m³, 25 ppm
 TLV Ceiling limit value: 121 mg/m³, 25 ppm

Additional information The lists that were valid during the creation were used as basis

Exposure controls

Personal protective equipment

General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Eye / Face Protection



Tightly sealed goggles

Hand Protection



Protective Gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. When contact is likely wear chemical resistant gloves and boots. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Respiratory Protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	Liquid
Color	Light yellow
Odor	Mild
Specific Gravity at 20°C (68°F)	0.98 g/cm ³ (8.178 lbs/gal)
Density	N.D.
Evaporation rate	Not determined.
Flash Point	> 200 °C (> 392 °F) (estimated)
Auto-ignition Temperature	Does not ignite.
Danger of explosion	No Danger
Boiling Point / Range	< 100 °C (< 212 °F)
pH- Value at 20 °C (68 °F)	9.4
Solubility in Water	Soluble
Viscosity	
 Kinematic	Not determined
Organic solvents	3.0 %
VOC content	3.0 % 29.4 g/l / 0.25 lb/gl
Solids content	0.4 %
Other information	No further relevant information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	No further relevant information available
Chemical Stability	
Thermal decomposition Conditions to Avoid	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known
Conditions to Avoid	No further relevant information available



Name: VP Tech P
SDS Date: 5/31/2016

Walter USA, LLC
N22 W23855 RidgeView Parkway W
Waukesha, WI 53188

Incompatibility with other Materials Do not mix with oxidizers

Hazardous decomposition materials Carbon Dioxide and Carbon Monoxide and various unidentified organic hydrocarbons

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Primary irritant effect

- Eye Contact Product is classified as moderately irritating to the eyes.
- Skin Contact This product is not expected to be toxic in contact with the skin.
- Sensitization Sensitization possible through inhalation.

Additional toxicological information The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful, Carcinogenic.

Carcinogenic categories

IARC (International Agency for Research on Cancer)	102-71-6 2,2',2''-nitrilotriethanol	3
NTP (National Toxicology Program)	None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	None of the ingredients is listed.	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

- Aquatic toxicity No further relevant information available
- Persistence and degradability No further relevant information available

Behavior in environmental systems

- Bioaccumulative potential No further relevant information available
- Mobility in soil No further relevant information available

Additional ecological information

- General notes Not readily biodegradable.
Does not hydrolyse.



Name: VP Tech P
SDS Date: 5/31/2016

Walter USA, LLC
N22 W23855 RidgeView Parkway W
Waukesha, WI 53188

Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.

Other adverse effects No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings

Recommendation Disposal must be made according to official regulations.

Recommended cleansing agent Water, if necessary with cleansing agents.

SECTION 14: TRANSPORT INFORMATION

DOT Classification

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Regulated
Packing group	Not Regulated
Environmental Hazards	Not applicable.
Special precautions for user	Not Regulated
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation"	Not Regulated

SECTION 15: REGULATORY INFORMATION

Sara

Section 355
(extremely hazardous substances)

None of the ingredients is listed.

Section 313
(Specific toxic chemical listings)

55406-53-6 3-Iodo-2-propynylbutylcarbamate

TSCA (Toxic Substances Control Act)

64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic
 38618-12-1 TOFA DIPA Amide
 26038-87-9 Boric Acid salt
 102-71-6 2,2',2''-nitrioltriethanol
 107-41-5 2-methylpentane-2,4-diol
 55406-53-6 3-Iodo-2-propynylbutylcarbamate

Proposition 65

Chemicals known to cause cancer None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males None of the ingredients is listed.

Chemicals known to cause developmental toxicity None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency) None of the ingredients is listed

TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed

NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed

GHS Label

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS08

Signal word Danger

Hazard-determining components of labeling Distillates (petroleum), hydrotreated heavy naphthenic
 TOFA DIPA Amide
 2,2',2''-nitrioltriethanol
 Tolyltriazole sodium salt
 3-Iodo-2-propynylbutylcarbamate

Hazard Statement Causes skin and eye irritation.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause an allergic skin reaction.



Name: VP Tech P
SDS Date: 5/31/2016

Walter USA, LLC
N22 W23855 RidgeView Parkway W
Waukesha, WI 53188

May cause cancer.
May cause damage to organs.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention Do not breathe dust/fume/gas/mist/vapors/spray.
[In case of inadequate ventilation] wear respiratory protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).

Storage Store locked up

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

Information about limitation of use Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.

Chemical safety assessment A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Revision Date: May 27, 2016

Abbreviations and acronyms:

DOT: US Department of Transportation
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B



Name: VP Tech P
SDS Date: 5/31/2016

Walter USA, LLC
N22 W23855 RidgeView Parkway W
Waukesha, WI 53188

- Resp. Sens. 1:** Sensitisation - Respirat., Hazard Category 1
- Skin Sens. 1:** Sensitisation - Skin, Hazard Category 1
- Carc. 1B:** Carcinogenicity, Hazard Category 1B
- STOT SE 2:** Specific target organ toxicity - Single exposure, Hazard Category 2
- Aquatic Acute 2:** Hazardous to the aquatic environment - AcuteHazard, Category 2
- Aquatic Chronic 3:** Hazardous to the aquatic environment - Chronic Hazard, Category 3

HMIS:

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, we make no warranty regarding the accuracy of such data or its suitability for any use or for any consequence of its use. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of user contemplated. We assume no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.