



Material Safety Data Sheet

CUT-MAX 568

1. Chemical Product and Company Identification

Product Name	CUT-MAX 568	Emergency Phone Number	24 HOUR - (800) 424-9300 (CHEMTREC)
Company Name	Houghton International Inc. Madison & Van Buren Aves Valley Forge, PA 19482	FAX	(610) 666-1376
Website	www.houghtonintl.com	Customer Service	(888) 459-9844
Telephone	(610) 666-4000		

2. Hazardous Ingredients

Component	Cas No	% by Weight	Hazards
Mineral Oil	64742-46-7 64742-52-5	>60	TLV: 5 mg/m ³ as oil mist PEL: 5 mg/m ³ as oil mist STEL: 10 mg/m ³ as oil mist Other:

N/E - Not Established; N/A - Not Applicable; Mfr - Manufacturer Recommendation

3. Hazards Identification

Primary Entry Routes	EYES, SKIN, INHALATION
Acute Effects	
Inhalation	INHALATION OF MISTS MAY CAUSE IRRITATION OF UPPER RESPIRATORY TRACT.
Eye	MAY CAUSE EYE IRRITATION.
Skin	PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION.
Ingestion	INGESTION MAY CAUSE NAUSEA AND DISCOMFORT. ASPIRATION MAY CAUSE LUNG DAMAGE.
Carcinogenicity	THIS PRODUCT DOES NOT CONTAIN ANY COMPONENT REPORTABLE AS A CARCINOGEN UNDER 29 CFR 1910.1200.
Medical Conditions Aggravated by LongTerm Exposure	PRE-EXISTING SKIN AND RESPIRATORY CONDITIONS MAY CAUSE IRRITATION.
Chronic Effects	UNKNOWN

HMIS:



Material Safety Data Sheet

CUT-MAX 568

3. Hazards Identification - continued

Health	1
Flammability	1
Reactivity	0

* indicates that there may be chronic health effects present

4. First Aid Measures

Inhalation	IF INHALED, REMOVE TO SOURCE OF FRESH AIR.
Eye Contact	FLUSH EYES WITH WATER 15 MINUTES. CONSULT PHYSICIAN IF IRRITATION PERSISTS.
Skin Contact	WASH SKIN WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRY BEFORE REUSING. CONSULT PHYSICIAN IF IRRITATION PERSISTS.
Ingestion	IF INGESTED, DO NOT INDUCE VOMITING. CONSULT PHYSICIAN.
Note to Physicians	NO SPECIFIC ANTIDOTE KNOWN. BASED ON INDIVIDUAL REACTIONS OF THE PATIENT, THE PHYSICIAN'S JUDGMENT SHOULD BE USED TO CONTROL SYMPTOMS AND CLINICAL CONDITIONS.

N/A - Not Applicable

5. Fire Fighting Measures

Flash Point	350° F (CLEVELAND OPEN CUP)
Autoignition Temperature	N/D
LEL	N/D
UEL	N/D
Extinguishing Media	USE CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER TO COOL CONTAINERS EXPOSED TO FIRE.
Unusual Fire or Explosion Hazards	COMBUSTION MAY RELEASE FUMES OF HYDROGEN CHLORIDE.
Fire Fighting Instructions	WEAR PROTECTIVE GEAR DURING FIREFIGHTING.

NFPA:



Material Safety Data Sheet

CUT-MAX 568

5. Fire Fighting Measures - continued

Health	1
Flammability	1
Reactivity	0
Special	N/A

N/A - Not Applicable; ND - Not Determined; > - Greater Than; < - Less Than

6. Accidental Release Measures

Spill or Release Procedures APPLY DRY OIL ABSORBENT TYPE MATERIAL AND SWEEP UP.

7. Handling and Storage

Handling Precautions AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. USE WITH ADEQUATE VENTILATION.

Storage Requirements KEEP AWAY FROM STRONG OXIDIZERS. KEEP FROM FREEZING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

8. Exposure Controls/Personal Protection

Engineering Controls EXHAUST TYPE IF MISTING; OTHERWISE GENERAL TYPE IS SATISFACTORY.

Personal Protective Equipment

Eye/Face Protection WEAR SAFETY GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.

Skin Protection USE RUBBER GLOVES FOR PROLONGED CONTACT IF SKIN IS SENSITIVE.

Respiratory Protection RESPIRATORY PROTECTION REQUIRED IF EXPOSURE LIMITS ARE EXCEEDED.

Other EYE WASH AND SAFETY SHOWER RECOMMENDED.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, or applying cosmetics.

**Material Safety Data Sheet
CUT-MAX 568****9. Physical and Chemical Properties**

Appearance	RED LIQUID	Water Solubility	INSOLUBLE
Odor	MINERAL OIL ODOR	Boiling Point	> 400°F
Vapor Pressure (mmHg)	< 1	Freezing/ Melting Point	N/D
Vapor Density (Air = 1)	> 1	Percent Volatile	NIL
Specific Gravity (Water = 1)	0.991	Evaporation Rate (BuAc = 1)	< 1
pH (Neat)	N/A		

N/D - Not Determined; N/A - Not Applicable; > - Greater Than; < - Less Than

10. Stability and Reactivity

Stability	THIS PRODUCT IS STABLE AT ROOM TEMPERATURE IN CLOSED CONTAINERS UNDER NORMAL STORAGE AND HANDLING CONDITIONS.
Chemical Incompatibilities	STRONG OXIDIZERS
Hazardous Decomposition Products	THERMAL; OXIDES OF CARBON, HYDROGEN CHLORIDE
Hazardous Polymerization	HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

11. Toxicological Information

NO DATA AVAILABLE

12. Ecological Information

NO DATA AVAILABLE

13. Disposal Considerations

**Material Safety Data Sheet
CUT-MAX 568****13. Disposal Considerations - continued**

Disposal	FOLLOW PERTINENT REGULATIONS FOR DISPOSAL. IT IS THE RESPONSIBILITY OF THE PRODUCT USER TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER A MATERIAL CONTAINING THE PRODUCT OR DERIVED FROM THE PRODUCT SHOULD BE CLASSIFIED AS A HAZARDOUS WASTE. (40 CFR 261.20-24)
RCRA Hazardous Waste Number	N/A

14. Transportation Information

Proper Shipping Name	NOT HAZARDOUS BY DOT, AIR OR IMO REGULATIONS.
----------------------	---

15. Regulatory Information

TSCA Section 8(b)	ALL OF THE COMPONENTS IN THIS PRODUCT ARE ON THE TSCA INVENTORY.
CERCLA Reportable Quantity	NONE
SARA Title III, Section 313	THIS PRODUCT CONTAINS NO TOXIC CHEMICAL SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.
Ozone Depleting Substances	THIS PRODUCT WAS NOT MANUFACTURED, DOES NOT CONTAIN, AND WAS NOT PACKAGED USING ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCE AS DEFINED BY THE CLEAN AIR ACT.

16. Other Information

Prepared By	GARY CARL
Title	MANAGER, PRODUCT SAFETY

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, Houghton International makes no warranty regarding the accuracy of such data or its suitability for any purchaser's use or for any consequence of its use. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. Houghton International assumes no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.